

INDEX MAPS.

T. 32 N, R. 7 E. 2nd Mer.

	402		402		401		401		400		400	
403	6	426	5	420	4	416	3	412	2	408	1	397
	425		425		419		416		412		408	
403	7	425	8	419	9	415	10	412	11	408	12	398
	424		424		419		416		411		407	
403	18	424	17	418	16	415	15	411	14	407	13	398
	423		423		418		414		411		407	
404	19	422	20	418	21	414	22	410	23	406	24	399
	422		422		417		414		410		406	
404	30	421	29	417	28	413	27	410	26	406	25	399
	421		421		417		413		409		405	
405	31	420	32	416	33	413	34	409	35	405	36	399
	397		396		396		396		395		395	

Meanders 426

Meanders 426

T. 33 N, R. 7 E. 2nd Mer.

	436	436	436	435	435	434						
437	6	463	5	457	4	452	3	446	2	445	1	431
	463	462	457	452	446	445	444					
437	7	462	8	456	9	451	10	446	11	443	12	432
	461	In Lake	456	451	447	443						
438	18	461	17	456	16	450	15	447	14	442	13	432
	461	460	455	450	446	442						
438	19	460	20	455	21	449	22	446	23	441	24	433
	459	459	454	449	445	441						
439	30	459	29	453	28	449	27	445	26	440	25	433
	458	458	453	448	444	440						
439	31	457	32	452	33	448	34	444	35	439	36	434
	431	431	430	430	429	429						

Meanders 463, 447

Meanders 463, 477

The figures on the lines refer to the page.

Township N° 33 North of Range N° 7 East 2nd Mer. Indiana. 429

South Boundary

- West On South Boundary of Sec. 36.
- 31.00 A W. Oak 28 in. diam.
- 40.00 Set a g. Sec. post from which
a W. Oak 17 in. diam. bears N. 81° E. 49 links dist. &
a Do 30 " " " N. 59° W. 51 " "
- 49.00 To Marsh.
- 52.28 To Lake. Shore runs W. N. W. and S. E.
Set a Post from which
an Elm 20 in. diam. bears S. 87° E. 296 links dist. &
a Willow 8 " " " N. 55° W. 99 " "
- 72.08 Leave the Lake on S. W. border of outlet. which is about
3.50 wide at this place. & Enter Marsh.
Set a Post from which
a Willow 6 in. diam. bears S. 4 E. 3.85 links dist. &
a W. Oak 18 " " " N. 89° W. 5.13 " "
- 77.00 Leave the Marsh
- 88.00 Set a Post Cor. to Secs. 35 & 36 from which
a W. Oak 16 in. diam. bears N. 77° E. 47 links dist. &
a Do 11 " " " N. 56° W. 30 " "
- Sand rolling Barrens good soil. Timber. W. B.
& Co. Oak, & Hickory. Underg. Capasas & Vines
on the 1st 1/4 mile.

-
- West On South Boundary of Sec. 35.
- 9.33 A W. Oak 40 in. diam.
- 20.83 A Do 38 " "
- 40.00 Set a g. Sec. post from which
a W. Oak 21 in. diam. bears N. 59° E. 20 links dist. &
a Do 17 " " " N. 65° W. 54 " "
- 61.88 A W. Oak 14 in. diam. & Enter Marsh
- 77.30 A Brook 6 links wide. Course S. W. Muggish.
- 80.00 Set a Post Cor. to Secs. 34 & 35 from which
an Aspin 8 in. diam. bears N. W. 194 links dist. &
a Do 9 " " " N. 3° E. 187 " "
- Sand &c. similar.

T 33 N R 7 E 2nd Mer. Indiana.

- West On South Boundary of Sec. 34
 15 50 Leave Marsh gently rolling and mostly very rich. might be drained & cultivated.
 27 00 A Brook 8 links wide. Course N E. not aurable.
 29 66 A W. Oak 11 in. diam.
 40 00 Set a g. Sec post from which
 a W. Oak 40 in. diam. bears N. $9\frac{2}{3}$ E 138 links dist. &
 a D. 28 " " " N. 69 W 88 "
 35 00 An Indian Trail S E. Supposed to lead from
 Musquabucks Village to F. Wayne.
 59 64 An R. Elm. 18 in. diam.
 77 12 A Walnut 14 " "
 80 00 Set a Post Cor. to Sec. 33 & 34 from which
 a Poplar 13 in. diam. bears North 26 links dist. &
 a W. Ash 9 " " " N 64 E 28 "
 East p. mostly bottoms and Barrens. West p. except
 500. Rolling & 1st rate. Timber. Walnut Ash. &
 Poplar. Land a B. Ash swamp North of the cor.

- West On South Boundary of Sec 33.
 12 97 Beech 18 in. diam.
 15 00 To Swamp.
 20 00 Leave same.
 31 04 A Beech 28 in. diam.
 40 00 Set a g. Sec post from which
 A Linn 27 in. diam. is Corner.
 40 92 A W. Ash 17 " "
 53 14 A Poplar 30 " "
 80 00 Set a Post Cor. to Sec. 32 & 33 from which
 a Beech 10 in. diam. bears N. $9\frac{1}{4}$ E. 38 links dist. &
 an R. Oak 14 " " " N. 19 W 8 " "
 First 2500 Land low & broken by small swamps
 West 5500 Level 1st rate. Timber. Beech. Oak.
 B. & W. Walnut. Birch & W. Ash. Linn. Poplar. &c.
 Under 1st Peppang Spice. & P. Ash.

T 33. N. R. 7. E. Dra. Mer. Indiana. 431

- West On South Boundary of Sec 32.
 2. 00 To a Dry channel of a Brook 10 links wide. N E.
 40 00 Set a g. Sec. post from which
 a Sp. Oak 14 in. diam. bears N. 52 $\frac{1}{2}$ W 54 $\frac{1}{2}$ links dist &
 a Do 23 " " " N 20 E 23 " "
 69. 75 A W. Oak 11 " "
 80. 00 Set a Post Cor. to Sec. 31 + 32 from which
 a W. Oak 18 in. diam. bears N 44 E 34 links dist &
 a Beech 15 " " " N 57 $\frac{1}{2}$ W 61 " "
 Land rolling low & swampy. in some of the
 valleys mostly a 1st rate soil. Timber. Oak. Elm.
 Ash. Walnut. Poplar. Chenwood &c. no Undergth.

-
- West On South Boundary of Sec. 31
 27. 57 A Sugar 10 in. diam.
 40. 00 Set a g. Sec. post from which
 a Beech 16 in. diam. bears N. 78 $\frac{1}{2}$ W 39 links dist
 an R. Elm 16 " " " N. 40 E 27 " "
 41. 87 A Beech 24 " "
 59. 00 An Indian Trail Course South
 74. 00 A Marsh
 76. 38 Intersect the West Boundary at the end of 5
 miles 71 chs + 87 links. Set a post cor. to
 Sec. 1. 6. 31. + 36. T. 32. + 33 R. 6 + 7 E.
 from which
 an Elm 14 in. diam. bears N. 9 E. 283 links dist &
 a W. Oak 9 " " " S. 86 $\frac{1}{2}$ E. 241 " "
 Land is similar. some fine groves of Sugar. an
 small growth, var. 6. 07. E

-
- East Boundary
 South On East Boundary of Sec. 1.
 17. 35 A Beech 18 in. diam.
 31. 12 Set a g. Sec. post from which
 a Sycamore 12 in. diam. bears N. 21 W 31 links dist &
 a W. Ash 8 " " " S. 48 W 19 " "

T 33. N. R. 7 E. 2nd Mer. Indiana

- 70.53 a W. Oak 24 in. diam.
 73.00 Millen Swamp.
 71.12 Set a Post Cor. to Sect. 1. 112 from which
 an Elm 10 in. diam. bears S. 70 W. 8 links dist. &
 an Apple 14 " " " N. 64 W. 58 " "
 Land rolling, soil good. Timber. Bush Oak.
 Elm. Ash. &c. &c. been burned. Underg. Panpan
 P. Ash. Nettles &c.

- South On East Boundary of Sec. 12.
 25.48 Intersect the South Boundary of Flettley's Reserve
 2 miles 54 ch. & 7 links East of the S.W. Corner.
 Set a Post from which
 an Elm 12 in. diam. bears S. 74 W. 82 links dist. &
 a W. Ash 14 " " " S. 38 E. 78 " "
 26.00 Leave the Swamp
 40.00 Set a g. Sec. post. from which
 an B. Oak 14 in. diam. bears N. 62 W. 56 links dist. &
 a B. Ash 10 " " " N. 53 W. 66 " "
 41.52 A B. Oak 28 " "
 61.42 A W. Ash 15 " "
 63.00 Indian Trail from Turk Prairie to Ft. Wayne
 Course S. E.
 80.00 Set a post Cor. to Sec. 12 113 from which
 a Chaparral 10 in. diam. bears N. 88 W. 80 links dist. &
 a Hickory 20 " " " S. 57 W. 72 " "
 Land &c. similar

- South On East Boundary of Sec. 13.
 8.00 Enter Barrens
 27.00 Marsh
 39.00 A Brook 3 links wide. Course N. E. Spring Meter
 40.00 Set a g. Sec. post from which
 a W. Oak 11 in. diam. bears N. 41 E. 8.57 links dist. &
 a B. Oak 24 " " " S. 73 W. 422 " "
 54.50 Springy Bottoms.

433

T 33. N. R 7. E 2nd Mer. Indiana.

59. 00 Appicance River 25 links wide. Course N. N. W.
 64. 00 Leave Bottoms.
 65. 13 A W. Oak 12 in. diam.
 77. 00 To Marsh.
 80. 00 Set a Post Cor. to Sec. 13. & 24 from which
 a W. Oak 12 in. diam. bears West 79 links dist. &
 a Do 10 " " " S 13 N 63 " "
 Land hilly Barrens. poor soil. thinly timbered
 with W. & E Oak.

- South On East Boundary of Sec 24.
 0 50 Leave the Marsh
 2. 77 Set W. Oak 30 in. diam.
 28. 39 A Do 13 " "
 40. 00 Set a q. Sec. post from which
 a W. Oak 10 in. diam. bears N. 58 W. 10 links dist. &
 a Do 12 " " " S. 77 W 71 " "
 45. 50 Indian Trail. Course S W.
 55. 12 A W. Oak 20 in. diam.
 59. 00 Marsh
 70 50 A Brook 6 links wide. Course N. W. sluggish.
 80. 00 Set a Post Cor. to Sec. 24 & 25 from which
 a W. Oak 12 in. diam. bears S. 62 W. 88 links dist. &
 a Do 15 " " " S. 9 W 70 " "
 Land be similar.

- South On E. Boundary of Sec 25.
 0 50 Leave the Marsh.
 29. 00 Marsh - Rolling & Springy.
 40. 00 Set a q. Sec. post from which
 a W. Oak 30 in. diam. bears N. 50 W. 182 links dist.
 & a Tamarac 10 " " " S 4 1/2 W 2. 27 " "
 47. 00 Leave the Marsh
 58. 00 Marsh
 69. 00 A Brook 8 links wide. Course N. N. E. } Good Current
 74. 00 Same " " " " } Durable.

T 33 N. R 7. E. 2nd Mer. Indiana

71.30 A Brook 8 links wide. Course S.W.
 80.00 Set a Post Cor. to Sec. 25. & 36 on the S. border
 of Marsh. from which
 a W. Oak 24 in. diam. bears N 88 W 19 links dist
 & a Do 14 " " " S 13 1/2 W 107 " "
 Land is similar.

South On East Boundary of Sec 36.

0 67 A B Oak 14 in. diam.

23.84 A B Oak 19 " "

29.00 Leave Barrens & enter rich heavy timbered
 Land

40.00 Set a g. Sec. post from which
 a Sp. Oak 18 in. diam. bears N 52 W 48 links dist &
 a Sugar 15 " " " S 73 W 46 " "

72.00 Dry channel of Brook 10 links wide. Course S.W.

80 0 a Drain. to Millen Swamp lies S.E.

80 00 Town Corner

Barrens level & well timbered with W. & B.
 Oak. South of Do. mostly rolling. 1st note.
 Timber. Beech. Oak. Walnut & Hickory.
 from channel of Brook Oak Land.
 var. 5.00 E Oct 1st & 4th

North Boundary.

Post On South Boundary of Sec 36. T 34. N. R 7 E.

32.00 Millen Swamp.

37.00 Leave same.

39.00 Marsh

40 00 Set a g. Sec post from which
 a W. Oak 18 in. diam. bears N 60 3/4 E. 41 lks. dist &
 a Do 14 " " " N 63 1/2 W 219 " "

45.00 Leave the Marsh

49.02 A Hickory 20 in. diam.

72.01 A W. Oak 28 " "

80.00 Set a Post cor. to Sec. 35 & 36 from which

435

T 33 N R 7 E 9th Mer. Indiana.

a W. Oak 14 in. diam. bears N 73 $\frac{1}{2}$ E 1.00 links dist &
 a B. Oak 9 " " " N 70 $\frac{1}{2}$ W 42 " "
 First 32 ch. Rolling good sand. Timber. Beech.
 Sycamore. Upland on the last 48 ch. hilly.
 Brushy Barrens.

West On South Boundary of Sec 35 T 34 N R 7 E.

1. 00 Marsh
 6. 50 Pond.
 12. 50 Leave Pond.
 21. 50 Leave the Marsh
 34. 18 A Hickory 13 in. diam.
 40. 00 Set a g. Sec. post from which
 a W. Oak 28 in. diam. bears N 43 $\frac{1}{2}$ E. 24 links dist &
 a S. 8 " " " N. 76 W. 5 " "
 53. 00 Millon Swamp.
 61. 50 Leave S.
 67. 00 Marsh
 80. 00 Set a Post Cor. to Sec. 34 & 35 from which
 a W. Oak 30 in. diam. bears N 61 W 2, 74 lks. dist &
 a S. 12 " " " N 82 $\frac{3}{4}$ W 210 " "
 Sand hilly. Brushy. Barrens Timber. W. Oak
 & Hickory.

West On South Boundary of Sec 34 T 34 N R 7 E.

2. 00 Leave the Marsh
 4. 81 A W. Oak 30 in. diam.
 35. 50 Indian Trail from Turkey Creek Prairie to F.
 Wayne. Course S E.
 40. 00 Set a g. Sec. post from which
 a B. Walnut 20 in. diam. bears N 72 $\frac{3}{4}$ W 73 lks. dist &
 a Hickory 8 " " " N. 19 E 12 " "
 53. 01 Intersect the West Boundary of Plot Leley's Reserve
 94. 43 from the S. W. Cor. from which
 a W. Ash 8 in. diam. bears S 5 W 32 lks. dist &
 a Blue Ash 11 " " " N 82 $\frac{1}{2}$ W 12 " "

T33. N. R 7 E. 2nd Mer. Indians.

50.00 Set a Post Cor. to Sec. 33 & 34 from which
 an Elm 8 in. diam. bears N. 42 $\frac{1}{2}$ E. 33 links dist &
 a Maple 24 " " " N. 68 W. 4 "
 Land rolling, mostly a good soil, some broken by
 low places. been burned & very brushy. Timber.
 Beech. Oak. Poplar. Walnut. Hickory &c.
 Underg^d. Sapugas. Spice. Vines. Briers. &c.

Notes On South Boundary of Sec 33, T 34. N. R 7 E.
 19.87 An Elm 20 in. diam.
 40.00 Set a gr. Sec. post from which
 a W. Ash 12 in. diam. bears N 71 $\frac{1}{2}$ W 22 lks. dist &
 a W. Oak 14 " " " N 68 E 14 " "
 74.03 A W. Ash 14 " "
 80.00 Set a Post Cor. to Sec. 32 & 33 from which
 a Blue Ash 17 in. diam. bears N. 68 $\frac{1}{2}$ E. 46 lks. dist &
 an Elm 15 " " " N. 64 W. 44 " "
 Land rolling & similar to the last mile.

Notes On South Boundary of Sec 32, T 34 N. R 7 E.
 19.97 A Blue Ash 15 in. diam.
 40.00 Set a gr. Sec. post from which
 a Blue Ash 9 in. diam. bears N. 10 $\frac{1}{2}$ W. 28 lks. dist &
 an Ironwood 6 " " " N 76 $\frac{1}{2}$ W 66 " "
 54.93 An R. Oak 16 " "
 80.00 Set a Post Cor. to Sec. 31 & 32 from which
 an Elm 18 in. diam. bears N. 36 $\frac{1}{2}$ E. 111 links dist &
 a Sugar 14 " " " N. 77 $\frac{1}{2}$ W. 120 " "
 First 30 chains. Land &c. similar. Last 50.00 2nd note.
 Timber mostly burned off. some Beech Oak.
 and Ash left. Underg^d. Briers. Thistles &c.

Notes On South Boundary of Sec 31, T 34 N. R 7 E.
 40.00 Set a gr. Sec. post from which
 a R. Oak 10 in. diam. bears N 29 $\frac{1}{2}$ E. 426 links dist &
 an ~~Elm 18~~ " " " ~~N 88 $\frac{1}{2}$ W 139~~ " "
 a W. Oak 14 " " " N 68 E 14 " "

T 33. N. R. 7. E. Ind. Mer. Indiana. 437

52. 14 An Oak 20 in. diam.
 76. 14 Set a Post Cor. to Townships 33 & 34 N. R. 6. & 7 E.
 from which a
 Beech 17 in. diam. bears S 71 1/4 E 28 links dist. & a
 Do 17 " " " S 40 19 " "
 Land is similar to last part of last mile.
 Var. S. 00' E Sept. 10th 1834

West Boundary

- South On East Boundary of Sec. 1. T 33. N. R. 6 E.
 2. 50 Indian Trail. N.E.
 4. 14 A W. Ash 12 in. diam.
 31. 87 Set a gr. the post from which
 a Poplar 19 in. diam. bears N. 58 1/2 W. 79 links dist. &
 a W. Oak 24 " " " S. 10 W. 10 " "
 54 04 A W. Oak 30 " "
 62. 33 Tippicane Lake. Dry high shore. bears from
 S.E. to S.W. A Spanish Oak 16 in. diam. is Corner
 Tippicane River runs through this Lake.
 71 87 Cor. to Sec. 1 & 12. in Lake.
 Land high & rolling. good soil. Timber mostly
 destroyed by fire. Timber Oak. Beech. Gynm.
 Ash. &c. Vines Lycopods & Berries.

South On East Boundary of Sec. 12. T 33. N. R. 6 E.

36. 05 Seave Lake high bold shore
 Set a Post. from which
 an Elm 14 in. diam. bears S 12 E. 5 links dist. &
 a Do 11 " " " S. 16 W. 19 " "
 Shore S.W.
 40. 00 Set a gr. the post from which
 an Ironwood 12 in. diam. bears S. 9 1/4 W. 66 links dist. &
 a W. Oak 15 " " " S. 5 1/2 W. 29 " "
 49. 36 A Do 15 " "
 65. 00 Enter Barrens
 80 00 Set a Post Cor. to Sec. 12 & 13. A small Lake about.

T 33 N. R 7 E 2nd Mer. Indiana

50 chains West of the Corner from which
 a G. Oak 15 in. diam. bears N. 97° W. 1.42 lks. dist. &
 a Do 12 " " " S. 67° W. 94 " "
 North of Barrens. high rich soil. well timbered
 Poplar. Oak. Ash. &c. Undergth Vines. &c.

South On East Boundary of Sec. 13 T 33. N. R 6 E.

1. 34 A G. Oak 18 in. diam.

24. 80 To Marsh

32. 50 Leave same.

37. 44 A W. Oak 30 in. diam.

40. 00 Set a g. Sec. post from which

a G. Oak 20 in. diam. bears N 66° W 1.23 lks. dist. &

a W. Oak 17 " " " S. 67½° W. 187 " "

45. 00 An Indian Trail. Course E.

68. 00 Indian Trail from Musquabuck to Strayner.
 Course S. E.

80 00 Set a Post Cor. to Sec. 13 & 24 from which

a W. Oak 18 in. diam. bears N. 35½° W. 1.04 lks. dist. &

a Do 18 " " " S. 55½° W. 61 " "

Land, rolling barrens. thin sandy soil. Thinly
 timbered with W. & G. Oak.

South On East Boundary of Sec. 24 T 33. N. R. 6 E.

36. 26 A W. Oak 9 in. diam.

40. 00 Set a g. Sec. post from which

a W. Oak 16 in. diam. bears N. 68° W. 72 lks. dist. &

a Do 15 " " " S. 69½° W. 81 " "

46. 00 Enter Marsh & leave Barrens

60. 50 Leave " & Enter rolling rich Barrens. & road.

63. 99 A W. Ash 8 in. diam.

80. 00 Set a Post Cor. to Sec. 24 & 25 from which

a Sugar 28 in. diam. bears N. 40° W. 40 links dist. &

a W. Walnut 18 " " " S. 39° W. 64 " "

North of Marsh Land & similar. South of Marsh

Rolling 1st rate. Timber. Sugar. Birch. Ash. Poplar. Walnut. &c.

T 33 N. R. 7. E. 2nd Mer Indiana. 439

South. On East Boundary of Sec 25. T 33 N R 6 E.
 17.73 A W. Ash 16 in diam.
 22.70 A Poplar 30 " "
 29.00 Millen & Rose Swamp
 35.00 Leave same.
 40.00 Set a 9th Sec post from which
 Sp. Oak 19 in diam. bears N. 40° W. 82 links dist &
 a B. Oak 10 " " " S 51° W 4 " "
 49.50 To Millen & Rose Swamp
 57.50 Leave Do
 64.14 A Linn 17 in diam.
 78.20 A Sugar 18 " "
 80.00 Set a post Cor to Sec. 25 & 36. from which
 a W. Walnut 14 in diam. bears N. 41° W. 44 links dist &
 a W. Ash 8 " " " S 85° W 19 " "
 Land rolling. Soil 1st rate Timber Ash. Sugar,
 Walnut. Beech. Poplar. Linn. Elm. &c.
 Undergth. Spice. &c.

South. On East Boundary of Sec. 36 T 33. N. R 6. E.
 20.00 A Indian trail. Cor. S. E.
 20.55 A Linn 28 in diam.
 40.00 Set a 9th Sec. post. from which
 a Beech 12 in diam. bears S 50° N. 27 1/2 links dist. &
 a Do 10 " " " N 65° W 28 " "
 42.85 A Chinkapin Oak 36 in diam.
 77.00 To Marsh.
 80.00 Town Corner.

Land &c similar.
 Var. S. W. E. Sept. 7th 1834.

Surveyed by
 Robert Clark Junr.
 Dep^y Surveyor.

Subdivisions

North Between Sec. 35 & 36 July 26th 1834

T33 N. R. 7. E 2nd Mer. India.

5. 50 A Creek 100 links wide. Course N W.
 16. 28 A W. Oak 18 in. diam.
 17. 00 To Marsh
 40. 00 Set a gr. Sec. post from which
 a Burr Oak 24 in. diam. bears S 82° W 95 lks. dist. &
 a Do. 23 " " " S 86° W 101 " "
 43. 50 Leave the Marsh
 51 43 An R. Oak 20 in. diam.
 59. 00 A Creek 75 links wide. Course N W. (perhaps E)
 Enter Marsh.
 80. 00 Set a Post Cor. to Secs. 25 26. 35 & 36 from which
 a W. Oak 20 in. diam. bears N 1/2 E 2.57 lks. dist. &
 an Elm 18 " " " S 18° E 34 "
 Land 3rd rate Rolling; Timber W. & W Oak.
 Hickory, &c.

East On Random between Secs. 25 & 36.

1. 50 A Creek 75 links wide. Course N W.
 3. 50 Leave the Marsh
 15. 50 Enter Marsh
 38. 00 Leave same.
 42. 00 A Trail. Course N E.
 65. 00 Marsh.
 80 33 Intersect E. Boundary 22 links N. of the Post.

West Connected between Secs. 25 & 36

29. 37 A W. Oak 24 in. diam.
 40 16 1/2 Set a gr. Sec. post at aver. dist. from which
 an R. Oak 12 in. diam. bears S 37° E 9 links dist. &
 a W. Oak 18 " " " N 19° E 32 1/2 " "
 80. 33 To Sec. Corner
 Land de same as last mile.

North Between Secs. 25 & 26

0. 50 To Creek 75 links wide. Course West.
 4. 93 A W. Oak 12 in. diam.

441

T 33 A. R. 7 E. 2nd Mer. Indiana

13. 50 To Marsh
 22. 50 Leave same
 35. 84 A W. Oak 12 in diam.
 40. 00 Set a g. Sec. post from which
 a W. Oak 20 in diam. bears S 63 $\frac{1}{2}$ E 23 links dist. &
 a Do 10 " " " N 84 W 33 " "
 48. 03 A Hickory 18 " "
 80. 00 Set a Post Cor. to Sec. 23. 24. 25 & 26 from which
 a W. Oak 12 in diam. bears S 63 $\frac{1}{2}$ E 6 links dist. &
 a Do 12 " " " S. 65 W. 47 " "
 Land the same

East On Ransom between Sec. 24 & 25

38. 54 A Chail Course S.
 39. 50 Marsh
 49. 50 Leave same
 51. 00 Enter same
 59. 50 A Creek 30 links wide. Course S.
 63. 30 Leave the Marsh
 68. 00 Enter same
 74. 30 Leave same
 75. 00 Enter Do
 80. 70 Intersect E. Boundary 18 links S. of the Do.

West Corrected between Sec. 24 & 25

40. 35 Set a g. Sec. post at aver. dist. from which
 a W. Oak 18 in diam. bears N 72 W. 150 links dist. &
 a W. Do 20 " " " S 49 W. 77 " "
 44. 11 A W Oak 12 " "
 63. 03 A Do 20 " "
 80. 70 To Sec. Corner.
 Land the same

North Between Sec. 23 & 24

33. 88 A W Oak 36 in diam.
 40. 00 Set a g. Sec. post. from which

T³³. A. R. 7. E. 2nd Mer. India

a W Oak 10 in. diam. bears S $81\frac{1}{2}$ W 10 links dist. &
 a Do 12 " " " N $74\frac{1}{2}$ E 56 $\frac{1}{2}$ " "
 58.70 A W Oak 18 " "
 59 14 A trail S W
 80.00 Hit a Post cor. to Sec^s 13. 14. 23 & 24 from which
 a W Oak 12 in. diam. bears N 14 W 60 lks dist. &
 a Do 18 " " " S 27 E 116 " "
 Land the same as last mile
 July 26th 1834.

East On Random between Sec^s 13 & 24
 40 00 Enter Marsh
 48 33 A Creek 30 links wide Course North.
 52. 60 Leave Marsh
 57. 50 Enter Marsh
 59. 23 To Pond
 Offset North 1. 00
 East 2. 00
 South 1. 00 Reduced Offset
 61. 23 Still in line over Pond.
 69 50 Leave the Marsh
 75. 50 Enter Marsh
 80 00 Leave same
 80 78 Intersect E. Boundary at Post.

West Connected between Sec^s 13 & 24
 40 39 Hit a g. Sec. post at aver. dist. from which
 a W Oak 24 in. diam. bears S $39\frac{1}{2}$ W. 23 lks. dist. &
 a Do 24 " " " N. 86 W. 144 " "
 68. 46 A W Oak 18 " "
 80. 78 To Sec Corner.
 Land the same

North Between Sec^s 13 & 14
 14. 98 A W Oak 10 in. diam.
 18. 00 To Marsh.

443

T³³ S. R 7 E. 2nd Mer. Indiana.

27. 00 Leave the Marsh
 30 75 A W. Oak 12 in. diam.
 40 00 Get a gr. Sec. post from which
 a W. Oak 20 in. diam. bears N 66° E 95 links dist. &
 a Do 24 " " " S 70 W 8 1/2 " "
 43. 50 A trail Course W.
 44 75 To Marsh
 52 60 A Creek 75 links wide Course W.
 59. 50 Leave the Marsh.
 80 00 Get a Post Cor. to Sec. 11. 12. 13 & 14 from which
 a W. Oak 10 in. diam. bears N 37 1/4° E 15 1/2 lks dist.
 a Do. 24 " " " S 42 1/4 W. 70 " "
 Land the same.

- East On Random between Sec. 12 & 13
 12. 50 To Marsh S. 1. 00 is a Pond
 18. 50 Leave the same
 80 76 Intersect East Boundary 81 links E of the Post.

- West Corrected between Sec. 12 & 13
 3. 17 A Hickory 10 in. diam.
 10. 38 Get a g. Sec. post at arer. dist. from which
 a W. Oak 26 in. diam. bears N 23 1/4° E 73 lks dist. &
 a Do 26 " " " S 19° E 68 " "
 75 90 A W Oak — in. diam.
 80 76 To Sec. Corner
 Land. West 1/2 same. East 1/2 2nd rate. Timber
 Oak. Hickory. Ash. Sycamores. Birch. Vines &c.

- North Between Sec. 11 & 12
 2. 00 To Marsh
 19. 00 Leave same
 23. 00 Enter Do
 31 75 To Lake & set Post from which
 a Burr Oak 18 in. diam. bears S 14° W 52 1/4 lks. dist. &
 a W. Oak 30 " " " S 9° E. 600 " "

T 33 P R 7 E. 3rd Mer. Indiana.

54. 09 Over the Lake and set a Post from which
 a W. Oak 20 in. diam. bears N 3/4 E. 554 links dist. &
 55. 09 Intersect South line of Flattley Reserve & set
 a Post from which
 a W. Oak 20 in. diam. bears N 1/4 E. 454 links dist.
 July 27th 1834

- North Between Secs. 34 & 35.
 5. 90 A Brook 3 links wide. Course N. W.
 8. 50 Leave the Marsh
 14. 50 Enter Do
 21. 00 Leave same
 27. 50 Marsh
 31. 50 A Creek 50 links wide. Course N. W.
 40. 00 Set a q. Sec spot from which
 a W. Oak 20 in. diam. bears N. 1/4 W. 3. 40 lbs. dist. &
 a Do 20 " " " N 1/4 W. 535 " "
 34. 00 Leave Marsh
 50. 00 Enter Vamarac swamp.
 75. 00 Leave the same
 80. 00 Set a Post Cor. to Secs. 26, 27, 34 & 35 from which
 a W. Oak 18 in. diam. bears N 3/4 E 460 lbs. dist. &
 a Do 18 " " " S 55 1/2 W 585 " "
 Land 3^d rate. Timber Oak. Birch. Vamarac.

- East On Random between Secs. 26 & 35.
 21. 75 A Creek 50 links wide. Course S. W.
 22. 75 Leave the Creek on same side.
 25. 50 Do Creek 50 links wide. Course S. W.
 28. 00 " Do 50 " " " N. W.
 31. 50 " Do 50 " " " S. W.
 50. 00 Marsh
 63. 25 A Brook 3 links wide. Course N. E.
 68. 50 A Creek 50 " " " N. W.
 79. 00 Do 50 " " " S. W.
 80. 00 Intersect S. & I. line 40 links S. of the Post.

T 33 N. R. 7 E. Gra Mer. Indiana. ⁴⁴⁵

Note Corrected between Chs. 26 & 35.

40. 00 Set a g. Sec. post on true line from which
a W. Oak 20 in. diam. bears N 12 $\frac{1}{2}$ E 70 links dist. &
a Do 12 " " " S 20 $\frac{1}{2}$ W 56 " "
43. 63 A W. Oak 20 " "
80 00 To Sec. Corner.
Land &c. same

North Between Chs. 26 & 27

2. 67 A Hickory 10 in. diam.

17. 00 Marsh

23. 93 Intersect South side of Lake & set a Post from which
a Burr Oak 24 in. diam. bears S $\frac{1}{2}$ W 6. 18 lks. dist. &
a Tamarac 12 " " " N 57 $\frac{1}{4}$ E 1. 66 " "

Offset North 33 E 9. 00

North 15 $\frac{1}{2}$ W. 12. 00

North 28 $\frac{1}{2}$ W. 3. 52 Reduced Offset.

46. 13 Over Lake & set a Post from which
a Tamarac 12 in. diam. bears N. 20 E. 1. 39 lks. dist. &
a Do 7 " " " N. 20 $\frac{1}{4}$ W 72 $\frac{1}{2}$ " "

51. 00 A Brook 10 links wide. Course S W. Dead water.

72. 75 Leave the Marsh

79. 24 A W. Oak 18 in. diam.

80. 00 Set a Post Cor. to Chs. 22. 23. 26 & 27 from which
a B. Oak 18 in. diam. bears N. 63 W 43 links dist. &
a Do 18 " " " S 29 $\frac{1}{2}$ E 7 " "
Land &c. same.

East On Random between Chs. 23 & 26

23. 00 To Marsh

32. 50 Leave the same

80. 26 Intersect the N. & E line 26 links North of Post.

Note Corrected between Chs. 23 & 26

16. 00 A W. Oak 9 in. diam.

40 13 A W. Oak 12. " " is g. Sec. Corner.

T 33. N. R 7 E. 2nd Mer. Indiana

67. 74 A W. Oak 20 in. diam.

80. 26 To Sec. Corner.

Land. Bottom. 3rd rate. Timber. W. & W. Oak.
Wickory, &c. July 27th 1834

North Between Sec. 22 & 23.

10. 91 A W. Oak 12 in. diam.

29. 70 A Do 18 " "

40. 00 Set a gr. Sec. post from which
a W. Oak 18 in. diam. bears N 23 $\frac{1}{2}$ E 27 $\frac{1}{2}$ lbs dist, &
a W. Oak 12 " " " N 37 W 43 $\frac{1}{2}$ " "

62. 73 A W. Oak 24 " "

80. 00 Set a Post Cor. to Sec. 14. 15 22 & 23. from which
a W. Oak 20 in. diam. bears S 84 E 68 links dist, &
a Do 18 " " " S. 76 $\frac{1}{2}$ W 25 " "

Land level. Timber same

East On Randem between Sec. 14 & 23

68. 20 A Trail from SE to N. W.

80. 24 Intersect N & S line 5 links E. of the Post.

West Connected between Sec. 14 & 23

10. 44 A W. Oak 20 in. diam.

20. 53 A Do 20 " "

40. 12 Set a gr. Sec. post at aver. dist. from which
a W. Oak 12 in. diam. bears S 2 $\frac{1}{4}$ W 46 lbs dist, &
a Do 18 " " " N. 3 $\frac{1}{4}$ E 23 " "

49. 96 A W. Oak 12 " "

80. 24 To Sec. Corner.

Land &c same.

* North Between Sec. 10 & 11.

13. 34 Over Lake & set a Post from which

a W. Oak 24 in. diam. bears N 42 $\frac{1}{2}$ W. 600 lbs dist &
No other tree near

23. 80 A Brook 6 links wide Course E. Not about 5 ch.

T 33 N. R 7 E. 2nd Mer. Indiana. 447

is a pond

35 00 Leave the Marsh

40. 00 Set a g^o the post. from which
a Buck 7 in. diam. bears N 87 $\frac{3}{4}$ E 23 $\frac{1}{2}$ links dist &
Sunn 12 " " " South 3 " "

42. 20 A W. Ash 20 in. diam.

54. 67 A Malurus 24 " "

55. 80 Intersect the South Line of Flatbelly's Reserve and
set a Post from which

a W. Oak 18 in. diam. bears S 8 $\frac{1}{4}$ E 81 links dist &

a Do 24 " " S 50 $\frac{1}{4}$ W 136 " "

Measured West along the said line 53 85 to the
end thereof

Land North of Marsh 2nd rate Rolling Timber.
Oak. Ash. Hickory. Chaparral vines &c.

* North Between Sec. 14 & 15

35 05 A W. Oak 20 in. diam.

40. 00 Set a g^o the post from which
a W. Oak 18 in. diam. bears N 55 E 4 links dist &
a Do 12 " " " N 20 $\frac{1}{4}$ W 51 " "

44. 89 A Creek 50 links wide. Course S W. Current Brisk

54. 10 A Hickory 12 in. diam.

63. 84 A Trail. Course E & W.

68. 00 Enter Marsh

80 00 Set a Post Cor. to Sec. 10. 11. 14 & 15 on the South
side of Lake from which

a W. Oak 20 in. diam. bears N 69 W 71 lks. dist &

a Do 20 " " " N 81 $\frac{1}{2}$ W 61 " "

Land the same.

West On True line between Sec. 11 & 14

1. 00 Enter Marsh

11. 00 A Creek. Course S W.

20. 30 Intersect Lake & set a Post from which

a W. Oak 18 in. diam. bears S 3 $\frac{1}{4}$ W 281 links dist &

T 33. N. R 7. E 2nd Mer. Indian

a W Oak 20 in. diam. bears S 6 1/4 E 280 links dist,
July 28th 1834

North Between Sec. 33 + 34

10 00 A Buck 18 in. diam.

12. 75 A Buck 4 links wide. Course N E.

30. 95 A Trail. from N. to S E.

40. 00 Set a g. Sec post from which

a Buck 9 in. diam. bears N 5 1/4 E 12 links dist &

a W Oak 24 . . . S 60 W 16 . . .

40. 42 An Elm 20 . . .

54 48 A Hickory 6 in. diam.

59 87 A Do 9 . . .

60. 65 To Marsh

80 00 Set a Post Cor. to Sec. 27, 28 33. + 34 from which

a Burr Oak 12 in. diam. bears N 19 1/2 W. 75 lks. dist &

a Do. . 20 . . . N. 70 W 158 . . .

Land 2nd rate. Rolling Timber. Buck Sugar,
Elm. Oak. Ironwood. Spice, &c.

East On Random between Sec. 27 + 34.

3. 50 Leave the Marsh

12. 47 Intersect Lake.

46. 53 Over the Lake.

59. 00 Leave Marsh.

79. 60 Intersect N + S line at Post.

West Corrected between Sec. 27 + 34.

33. 09 Intersect East side of Lake & set a Post from which
an R. Oak 20 in. diam. bears S 89 1/2 E 1257 lks. dist

67. 13 Over the Lake & set a Post from which

A W Ash 6 in. diam. is Corner.

72. 45 A W Oak 18 . . .

79 60 To Sec. Corner.

Land West of the Lake same. East of Lake 3rd rate,
Rolling. Timber W + R Oak.

449

T 33. N. B. 7. O. 2nd Mer. Indiana.

North Between Sec. 27 & 28

4. 50 Leave the Marsh

11. 25 To Swamp.

16. 78 To South side of Lake A Maple 5 in. diam. Cor.

53. 71 Over Lake & set a Post from which
a W. Ash 4 in. diam. bears N 72 E 10 lks dist &
a Post. 4 " " S. 35 W 30 " "

63. 50 Leave the Marsh

80. 00 Set a Post Cor. to Sec. 21. 22. 27 & 28 from which
a W. Oak 20 in. diam. bears S 3 W 32 1/2 links dist &
a Hickory 12 " " N 12 1/2 W 33 " "
Land rolling 3rd rate. Timber. W. & B. Oak, Hickory;

East On Randon between Sec. 22 & 27.

28. 97 A Trail. Course N W

32. 36 Enter Marsh.

35. 80 Intersect Lake.

50. 36 Over Lake,

65. 00 Leave the Marsh

79. 36 Intersect N & S. line at Post.

West Corrected between Sec. 22 & 27.

6. 40 A B. Oak 18 in. diam.

23. 00 To Lake & set a Post. from which
a Tamarac 8 in. diam. bears S 70 E. 106 links dist &
a Post. 10 " " East 120 " "

43. 50 Over Lake & set a Post from which
a W. Oak 18 in. diam. bears S 7 1/2 W 47 1/2 links dist &
a Hickory 12 " " S. 88 W 486 " "

67. 16 A Post 18 " "

79 36 To Sec. Corner

Land &c. same.

North Between Sec. 21 & 22

27 41 A Trail. Course N W

34. 50 To Marsh.

T. 33. N. R. 7. E. 2nd Mer. Indiana.

39. 88 A Tamarac 9 in. diam.
 40. 00 Set a g. Sec. post from which a
 Tamarac 9 in. diam. bears South 12 links dist &
 a D. 12 " " " St. 30 E 90 " "
 42. 50 Leave the Marsh
 50. 44 A W. Oak 12 in. diam.
 80. 00 Set a Sec. post Cor. of Sec. 15, 16, 21 & 22 from which
 a W. Oak 18 in. diam. bears S 46 E 88 links dist &
 a D. 18 " " " St. 27 N 54 " "
 Land Rolling 3rd rate. Timber. W. & W Oak. Hickory &c

- East On Random between Sec. 15 & 22
 5. 15 To Marsh
 17. 50 Leave same
 79. 64 Intersected N & S line 27 links North of the Post.

- Note Corrected between Sec. 15 & 22.
 10. 26 A W. Oak 20 in. diam.
 27. 41 A D. 12 " "
 39. 82 Set a g. Sec. Post at aver. dist. from which
 a W. Oak 18 in. diam. bears S 50 W 17 links dist &
 a D. 10 " " " St. 45 E 40 " "
 79. 64 To Sec. Corner.
 Land to same. July 29th. 1834

- North Between Sec. 15 & 16
 5. 25 A Trail Course S W
 38. 07 A W. Oak 20 in. diam.
 38. 75 To Marsh.
 40. 00 Set a g. Sec. Post from which
 a W. Oak 18 in. diam. bears S 26 1/2 W. 110 links dist
 a D. 24 " " " S. 36 1/4 E 83 " "
 40. 58 A Creek 50 links wide Course W.
 43. 00 A D. 50 " " " St. E.
 47. 07 A D. 50 " " " " "
 49. 00 Leave the Marsh.

451

T 33 N. R 7 E 2nd Mer. Indiana

61. 50 To Marsh
 62. 50 A Brook 6 links wide. Course W.
 63. 00 Do 6 " " " E
 64. 95 Do 6 " " " S W
 66. 00 Do 6 " " " S E
 67. 75 Do 6 " " " S W
 77. 50 Do 6 " " " N. S. E.
 78. 25 Do 6 " " " N. W.
 80. 00 Set a post cor. to "Sec." 9. 10. 15. 416 from which
 a W. Oak 20 in. diam. bears N 1 W 205 links dist. &
 a W. Ash 6 " " " " 1 1/4 E 18 1/2 " "
 Land the same.

East On Random between Sec. 10 & 15
 0 85 A Brook 10 links wide. Course South.
 3. 65 Leave the Marsh
 24 25 Marsh
 39. 00 Leave same
 59. 41 A Trail. Course N W
 69 50 Marsh
 80 26 Intersect N & S line at Post.

West Corrected between Sec. 10 & 15.
 21. 00 A W. Oak 20 in. diam.
 40. 13 Set a g. Sec. post at aver. dist. from which
 an W. Oak 18 in. diam. bears S 70 W 22 1/2 links dist. &
 a Hickory 12 " " " N 56 W 48 " "
 63. 00 A W. Oak 20 " "
 80 26 To Sec. Corner
 Land the same.

North Between Sec. 9 & 10
 2. 00 Leave the Marsh
 27. 15 A W. Oak 36 in. diam.
 40. 00 Set a g. Sec. post from which
 a W. Oak 48 in. diam. bears S 77 E 386 lks. dist. &
 a B. Oak 24 " " " N 78 W 326 " "

T 33. N. R. 7 E 2nd Sec Indiana

47. 51 A W Oak 24 in. diam.
 59. 88 A Trail. Course N. W.
 67. 00 Mallow Swamp
 75. 50 Leave Do.
 80. 00 Set a Post Cor. to Sec. 3. 4. 9. 110 from which
 a W. Oak 18 in. diam. bears N 89 $\frac{1}{2}$ E 39 links dist &
 a W. Elm 10 " " " S 66 $\frac{1}{2}$ W 25 " "
 Land the same.

- East On Rangeon between Sec. 3 & 110 True line
 18. 00 A W. Oak 24 in. diam.
 26. 31 Intersect West line of Haskell's Indian Reserve,
 and set a post. from which
 a W. Oak 18 in. diam. bears N 21 $\frac{1}{2}$ W 30 links dist &
 a Do 24 " " " S 43 $\frac{1}{2}$ W 110 " "
 Measured South along said line 26. 61 to the
 end thereof
 Land level & 2nd rate. Timber - Poplar, Oak,
 Ash. Hickory. Sassafras. Vines. &c.

- North Between Sec. 3 & 4.
 0 75 To Mallow Swamp.
 14. 00 Leave the same.
 31. 00 A W. Oak 18 in. diam.
 40 00 Set a g. & Sec. post from which
 a W. Elm 18 in. diam. bears S 11 $\frac{1}{2}$ E 11 links dist &
 or W. Oak 24 " " " N 17 $\frac{1}{2}$ W 24 $\frac{1}{2}$ " "
 51. 22 A Poplar 24 " "
 71. 00 Intersect the North Boundary 30 links East
 of the Post. Set a Post from which
 a Poplar 24 in. diam. bears S 15 $\frac{1}{2}$ W 62 $\frac{1}{2}$ links dist &
 or W. Oak 20 " " " S 31 $\frac{1}{2}$ E 42 " "
 Land the same. July 30th 1834.

- North Between Sec. 32 & 33.
 4. 03 A Sycamore 12 in. diam.

453

T 33. N. R. 7 E. 2nd Mer. Indiana.

- 17.54 A B. Walnut 24 in. diam.
 40.00 Set a g. Sec. post from which
 an Elm 18 in. diam. bears N 15 W 5 links dist. &
 a Buck 18 " " " S 59 E 50 " "
 53.00 A W. Ash 10 in. diam.
 73.42 An Elm 10 " "
 76.15 A Nail. Course N W
 80.00 Set a Post Cor. to Sec. 28. 29. 32 & 33 from which
 a W. Ash 20 in. diam. bears N 15 E 25 links dist. &
 an Elm 18 " " " S. 15 W 33 " "
 Land 2nd rate. Rolling. Timber. Ash Sugar.
 Oak. Buck. Ironwood & Spice.

East On Random between Sec. 28 & 33

- 25.00 To Marsh
 33.00 Same same
 72.00 Enter Marsh
 80.38 Intersect A & S line 40 links E. of the Post

West Corrected between Sec. 28 & 33

- 9.26 An Elm 10 in. diam.
 40.19 Set a g. Sec. post from which
 an R. Oak 6 in. diam. bears S. 27 1/2 E 37 1/2 links dist. &
 a W. Oak 4 " " " N 62 1/2 W 9 1/2 " "
 43.09 A W. Oak 6 " "
 80.38 To Sec. Corner.
 Land 2nd rate and for 25 ch. on the West
 end Timber same. Ballance Oak. Poplar.
 Sassafras. Vines. &c.

North Between Sec. 28 & 29.

- 0.00 An Ironwood 12 in. diam.
 7.86 A Burr Oak 6 " "
 25.74 A Buck 4 links wide. Course E.
 40.00 Set a g. Sec. post from which
 a Buck 36 in. diam. bears S 54 W 63 1/2 links dist. &

T 33 N R 7 E 3rd Sec. Indiana

a Burr Oak 9 in. diam. bears N $79\frac{1}{2}$ E 13 lks. dist
 49.45 A Poplar 36 " "
 77.31 A B. Walnut 36 " "
 80.00 Intersect South side of Lake & set a Post from which
 Corner to Sec. 20. 21. 28 & 29 from which
 a Maple 10 in. diam. bears S $41\frac{1}{4}$ W 33 lks. dist &
 a B. Ash 12 " " " S. 49 E. 21 " "
 Land Rolling & 2nd rate. Timber. Poplar Ash
 Buck. Elm. Oak. Spice. &c.

East On Random between Sec. 21 & 28

8.00 To back 200 links wide. Course

25.00 To Lake

Offset North $53\frac{1}{2}$ E. 1.80 links

East 1.70

South $53\frac{1}{2}$ E. 1.80 " File into line

30.19 Over Lake

49.91 Intersect Lake

71.97 Over Lake

79.73 Intersect N & S line 1.04 links South of Post.

West Corrected between Sec. 21 & 28

7.70 To Lake & set a Post from which

a W. Oak 18 in. diam. bears N $57\frac{1}{2}$ E. 1.21 lks. dist &

a Do. 14 " " " A. 6 W. 1.79 " "

29.05 Over Lake & set a Post from which

a B. Ash 9 in. diam. bears N 75 W 94 lks. dist

& a Burr Oak 20 " " " S 51 W 1.40 " "

34.05 A W. Oak 36 " "

39.86 Set a 2nd Sec. post at aver. dist. from which

an R. Oak 9 in. diam. bears S. 81 E. 25 links dist

& a Hickory 18 " " " N $34\frac{1}{2}$ W $33\frac{1}{2}$ " "

42.52 A W. Oak 36 " "

79.73 To the Corner

Land &c. same.

T. 33. N. R. 7. E. 2nd Mer. Indiana

455

North Between Sec. 20 & 21

12. 22 Over Lake & set a Post from which
a Maple 12 in. diam. bears N. $41\frac{1}{4}$ W. 183 links dist. &
a Do. 10 " " " N. $30\frac{1}{2}$ E. 203 " "

18. 50 Leave the Marsh

33. 58 Intersect South side of Lake & set a Post from which
a W. Oak 12 in. diam. bears S. $9\frac{3}{4}$ E. 218 links dist. &
an Elm 9 " " " N. $55\frac{1}{2}$ W. 120 " "

45. 61 Over Lake & set a Post from which

a W. Oak 18 in. diam. bears N. $9\frac{3}{4}$ W. 397 links dist. &
a Do. 18 " " " N. 5 E. 380 " "

48. 75 Leave Marsh

50. 19 A W. Oak 18 in. diam.

64. 28 A B. Oak 20 " "

78. 03 Trail. Course N.

80. 00 Set a Post cor. to Sec. 16. 17. 20 & 21 from which

a W. Oak 12 in. diam. bears N. $48\frac{1}{2}$ E. 53 links dist. &
a Do. 18 " " " S. $61\frac{1}{4}$ W. 52 $\frac{1}{2}$ " "

Land Rolling & note. Timber: W. & B. Oak.
Hickory. Sycamores. &c.

August 1st 1834.

East On Road between Sec. 16 & 21.

74. 85 A Trail. from N.E. to S.W.

79. 42 Intersect N. & S. line 7 links South of the Post.

West Connected between Sec. 16 & 21.

5. 10 A W. Oak 12 in. diam.

13. 94 A Do. 18 " "

19. 65 A Do. 13 " "

39. 71 Set a q. Sec. post from which

a W. Oak 12 in. diam. bears S. $35\frac{1}{2}$ W. 40 links dist. &
a Do. 12 " " " N. $41\frac{1}{4}$ E. 74 " "

43. 56 A W. Oak 9 " "

72. 33 A Do. 18 " "

79. 42 To Sec. Corner.

T 33. N. R 7 E 2nd Mer. Indiana.

Land level. Timber. N. & R. Oak. Undergth
Hickory. Oak. &c.

North Between Sec. 16. & 17.

6. 46 A N. Oak 12 in. diam.

17. 00 To Marsh

22. 24 Intersect Lake & set a Post from which
a N. Oak 18 in. diam. bears S $9\frac{1}{2}$ W 513 links dist. &
a Do 18 " " " S $15\frac{1}{4}$ E 557 " "

85 00 Corner in Lake. to Sec. 8. 9. 16. & 17

Land &c same.

West On True line between Sec. 9 & 16

2. 00 Leave the Marsh

17. 21 An R. Oak 20 in. diam.

39. 71 Set a g. Sec. post from which

a Poplar 18 in. diam. bears S 62 E 338 lbs. dist. &

No other tree near.

53. 35 An R. Oak 6 in. diam.

54. 04 Intersect East side of Lake & set a Post from which

a N. Oak 18 in. diam. bears S $79\frac{1}{2}$ E 132 lbs. dist. &

a Burr Oak 12 " " " N $20\frac{1}{2}$ E 43 " "

Land &c same.

North Between Sec. 8 & 9

10 04 Leave Lake & set a Post from which
an Elm 12 in. diam. bears S 75 E 6 links dist. &

a Do 7 " " " N 38 W $6\frac{1}{2}$ " "

40. 00 Set a g. Sec. post from which

a N. Oak 5 in. diam. bears S 52 W 68 links dist. &

a Burr Oak 6 " " " N 53 E 76 " "

53. 21 A Hickory 7 " "

85. 00 Set a Post Cor. to Sec. 14. 5. 8. & 9 from which

a N. Ash 12 in. diam. bears N 85 W 5 links dist. &

an Ironwood 7 " " " N 68 E 20 " "

Land Rolling & 2nd note. Timber. Elm. Oak.

457

T 33. N. R 7. E 2nd Mer. Indiana.

Poplar. Sycamores. Briers Vines &c.

East On Random between Sec. 4 & 9.

39. 72 A Buck 4 links wide. Course South

88. 30 A Nail Course N.

79. 56 Intersect N & S line 28 links South of the Post.

West Corrected between Sec. 4 & 9.

16. 38 A Buck 12 in. diam.

23. 92 A Syc. 10 " "

39. 78 Set a q. Sec. post at an. dis. from which
a Sycamore 20 in. diam. bears N 28¹/₂ E 36 links dis. &
a B. Ash 9 " " " S. 24¹/₂ W. 24 " "

59. 13 A Buck 12 " "

79. 56 To Sec. Corner.

Land level 2nd rate. Timber. Buck. Ash.
Elm. Poplar. Ironwood. Spice &c.

North Between Sec. 4 & 5.

24. 10 A Syc. 12 in. diam.

40. 00 Set a q. Sec. post from which
an Elm 9 in. diam. bears N 67¹/₂ E - links dis. &
a Q. 18 " " " S 30¹/₂ W. " "

65. 48 A Nail Course N. W.

56. 78 An Elm 20 in. diam.

72. 13 Intersect North Boundary 2. 44 links West
of the Post. & set a Post from which
an R. Oak 12 in. diam. bears S 35¹/₂ W 36 links dis. &
a B. Walnut 48 " " " S 19¹/₂ E 64 " "

Land is same as last mile

August 3^d 1834.

North Between Sec. 31 & 33

0 67 An R. Oak 18 in. diam.

33. 50 Enter Miller's Swamp.

59. 00 Leave same

T³ S. R. B. 7. E. 2nd Mer. Indiana.

- 10 00 Set a g^o Sec. post from which
 a Lynn 18 in. diam. bears N. 37 $\frac{1}{4}$ E 10 $\frac{1}{2}$ lks. dist &
 a W. Ash 9 " " " S 87 $\frac{1}{4}$ W 19 " "
- 52 81 A Poplar 48 in. diam.
80. 00 Set a Post Cor. to Sec. 29. 30 31 & 32 from which
 a Poplar 26 in. diam. bears N. 8 W 17 links dist &
 a W. Ash 18 " " " S 57 E 35 " "
- Land Selling. Timber. Buck. Oak Ash.
 Ironwood. Spice &c.

East On Random between Sec. 29 & 33

5. 00 A Nail A C
 70 80 A Do from S E. to N W
 80 50 Intersect N & S line 21 links North of the Post.

West Corrected between Sec. 29 & 32

3. 41 A Lynn 12 in. diam.
 22. 58 A W. Oak 10 " "
 40. 25 Set a g^o Sec. post from which
 a Sugar. 12 in. diam. bears N 34 $\frac{1}{2}$ W 20 lks. dist &
 a Hickory 7 " " " S 54 E 19 $\frac{1}{2}$ " "
- 41 76 A Sycamore 20 " "
 51. 30 A Ironwood 6 " "
 80. 50 To Sec. Corner.
 Land &c same.

West Between Sec. 30 & 31 Random

39. 30 A Buck 4 links wide. Course North.
 76. 00 Intersect the West Boundary at Post.

East Corrected between Sec. 30 & 31

- A Buck 8 in. diam. bears S. 59 E 28 links dist &
 a Do 11 " " " N. 69 $\frac{1}{2}$ E 33 " "
19. 30 A Buck 6 " "
 31. 32 A Poplar 20 " "
 36. 00 Set a g^o Sec. post from which

459

T³³. A. R. 7. E. 2nd Mer. Indiana.

Beech 18 in. diam. bears N. 31 $\frac{1}{4}$ W 21 links dist & a
 Do 8 " " " S. 25 $\frac{1}{2}$ E 25 " "
 56. 23 A W. Oak 20 " "
 76. 00 To the Corner.

North Between Sec. 29 & 30.
 13. 20 A W. Ash 20 in. diam.
 21. 27 An Ap. Oak 48 " "
 40. 00 Set a gp. the spot from which
 a Beech 18 in. diam. bears N. 15 $\frac{1}{2}$ E. 5 links dist &
 a Oak 19 " " " S. 19 $\frac{1}{4}$ W 34 " "
 44 30 A Poplar 48 " "
 68. 20 A Trail N W
 80. 00 Set a Post Cor to Sec. 19. 20. 29 & 30 from which
 a W. Walnut 12 in. diam. bears N. 42 E 32 links dist &
 a W. Oak 30 " " " S. 31 $\frac{1}{2}$ W. 19 " "
 Land to same.

East On True line between Sec. 20 & 29
 0. 50 A Trail. Course N W
 5. 50 A Brook 4 links wide. Course N E.
 18. 00 Enter Marsh
 38. 87 Intersect the West Margin of Lake & set a Post.
 from which a Maple 12 in. diam. bears S. 33 E
 77 links dist & a Do 6 " " " N. 35 $\frac{1}{2}$ W 48
 " " " Land to same Aug. 4th 1834

West On Random between Sec. 19 & 30
 13. 80 A Brook 4 links wide. Course North.
 75-13 Intersect the West Boundary 17 links S. of Post.

East Corrected between Sec. 19 & 30
 A Beech 7 in. diam. bears S. 21 $\frac{1}{2}$ E 25 links dist &
 a W. Walnut 12 " " " N. 12 E 35 " "
 11. 82 A Lynn 18 " "

T. 33. N. R. 7. E. 2nd Mer. Indiana.

- 16.68 An Elm 12 in. diam.
 35.13 Set a g. Sec. Post from which
 a W. Ash 30 in. diam. bears S 48° W 7 links dist. &
 a Buck 24 " " " N 26° E 41 1/2 " "
 37.31 An Ironwood 5 in. diam.
 60.20 A W. Ash 20 " "
 75.13 To Sec. Corner.
 Land 1st rate. Timber. Ash. Elm. Walnut
 Buck. Oak. Spice. &c.

- North Between Sec. 19 & 20
 0.10 A Trail Course N. W.
 2.75 A W. Ash 18 inches diameter.
 30.81 A W. Oak 12 " "
 36.32 A " " A. A. W.
 40.07 Set a g. Sec. post from which
 an R. Oak 9 in. diam. bears N 85° E 47 links dist. &
 a " 6 " " " N 68° W 34 " "
 71.26 Intersect East side of Lake & set a Post from which
 an R. Oak 20 in. diam. bears S 3 3/4° E 98 lbs. dist. &
 a W. Oak 12 " " " S 55° W 186 " "
 80.00 Set a Post Cor. to Sec. 17. 18. 19. & 20 in Lake.
 Land for 10 ch. & End. same. Balance 3rd rate.
 Rolling Timber. W. & B. Oak. Hickory. &c.

- West On True line between Sec. 17 & 20.
 23.57 A Trail Course N. W.
 25.50 A Creek 60 links wide. Course N. W.
 34.60 A Trail. Course N. E. W.
 36.57 A " " N. N. W.
 40.07 Set a g. Sec. post from which
 a W. Oak 18 in. diam. bears S 42° W 170 lbs. dist. &
 a Hickory 9 " " " N 16° E 63 " "
 45.18 A " 9 " "
 57.03 A W. Oak 26 " "
 57.70 A Trail, N. W.

T33. N. P. 7. E. 2nd Mer. Indiana. 461

67.33 Intersect the Lake & set a Post from which
 a W. Oak 24 in. diam. bears S. 73° E. 1.30 links dist. &
 a P. 18 " " " N. 41 3/4° W. 72 " "
 Land &c. same.

East On True line between Sec. 18 & 19.
 A W. Oak 24 in. diam. bears N. 2 3/4° E. 40 links dist. &
 a P. 28 " " " S. 27 3/4° E. 63 " "
 11. 20 A Trail N. W.
 32. 30 A W. Oak 24 in. diam.
 35. 13 Set a q. Sec. post from which
 a W. Oak 26 in. diam. bears S. 39° E. 1.04 links dist. &
 a Hickory 12 " " " N. 43° W. 80 " "
 42. 31 A W. Oak 26 " "
 58. 78 Intersect West side of Lake & set a Post from which
 a W. Oak 12 in. diam. bears N. 77° W. 24 3/4 links dist. &
 a W. Oak 24 " " " S. 56 1/2° W. 97 " "
 August 5th 1834

North Between Sec. 17 & 18
 4. 91 Over Lake & set a Post from which
 a W. Oak 12 in. diam. bears N. 82 1/4° E. 74 links dist. &
 a W. Oak 8 " " " N. 10 1/2° W. 82 1/2 " "
 9. 88 A Trail. Course N.
 40. 00 Set a q. Sec. post from which
 a W. Oak 26 in. diam. bears N. 52 1/2° E. 8 1/4 links dist. &
 a P. 24 " " " N. 86 1/4° W. 57 " "
 44. 50 To Marsh
 62. 58 Intersect South side of Lake & set a Post from which
 a W. Oak 18 in. diam. bears S. 5° W. 15.80 links dist. &
 80. 00 Set a Post Cor. to Sec. 7. 8. 17 & 18 from which
 in Lake.
 Land &c. same.

East On True line between Sec. 7 & 18.
 At Cor. set a Post from which a

T. B. N. R. & E. Ind. Mer. Indiana.

- W. Oak 14 in. diam. bears N. 87 E. 80 $\frac{1}{2}$ lbs. dist. & a
 Do. 10 " " " S. 87 E. 80 " "
- 20 04 A. B. Oak 20 " "
 35 13 Set a gr. Sec. post from which
 a W. Oak 30 in. diam. bears S. 42 E. 100 links dist. &
 an H. Oak 8 " " " N. 20 $\frac{1}{4}$ E. 37 " "
38. 53 Intersect Lake & set a Post from which
 a W. Oak 24 in. diam. bears S. 68 $\frac{1}{4}$ W. 277 lbs. dist. &
 a Do. 20 " " " N. 39 W. 205 " "
- Land &c. same. August 6th 1834.

- North Between Sec. 7 & 8
 9. 44 Spare Lake & set a Post from which
 a Maple 12 in. diam. bears N. 66 W. 16 $\frac{1}{2}$ lbs. dist. &
 a B. Oak 10 " " " S. 76 $\frac{1}{2}$ E. 19
19. 73 An Elm 10 " "
 39. 00 Enter Marsh
 40. 00 Set a gr. Sec. post from which
 an Elm 10 in. diam. bears S. 16 W. 33 links dist. &
 a Do. 7 " " " S. 58 $\frac{1}{2}$ W. 57 " "
80. 00 Set a Post cor. to Sec. 5. 6. 7 & 8 from which
 a Hickory 9 in. diam. bears S. 42 $\frac{1}{2}$ W. 5 links dist. &
 an R. Oak 18 " " " S. 73 $\frac{1}{2}$ E. 46 " "
- Land Rolling 2nd rate. Timber. Poplar. Aspin
 Oak, Sassafras. Briers. & Vines.

- East On Random between Sec. 5 & 8
 2. 10 A Brook 6 links wide. Course S. W.
 78. 00 Intersect N. & S. line 80 links E. of the Post

- West Connected between Sec. 5 & 8.
 39. 00 Set a gr. Sec. post from which
 an Aspin 6 in. diam. bears S. 1 $\frac{1}{4}$ W. 74 links dist. &
 a Burr Oak 8 " " " N. 7 $\frac{1}{4}$ W. 96 $\frac{1}{2}$ " "
78. 00 To Sec. Corner.
 Land 2nd rate. Rolling U. g. Aspin Sassafras. Briers. &c.

1853

T 33. N. R. 7. E. 2nd Mer. Indiana.

Note On True line between Sec. 6 & 7.
 14. 13 A Blue Ash 12 in. diam.
 29. 60 A Birch 4 links wide. Course South
 40. 00 Set a g. Sec. post from which
 an R. Oak 50 in. diam. bears S. 62° W 3 links dist. &
 a Birch 20 " " " N. 57° E 48 " "
 42. 40 An Elm 20 " "
 65. 23 A B. Ash 18 " "
 66. 31 Intersect Lake & set a Post from which
 an Elm 20 in. diam. bears S. 75° E 64 links dist. &
 a W. Oak 12 " " " N. 54° E. 28 " "
 Land Rolling & 2nd rate. Timber. Birch. Oak Elm.
 Ash. Sugar. Spice. Vines. Briers. &c.

North Between Sec. 5 & 6
 40. 00 Set a g. Sec. post from which
 a B. Walnut 6 in. diam. bears N. 66° W 11 links dist.
 & a Burr Oak 5 " " " S. 62° E. 34 " "
 53. 07 An Elm 18 " "
 72. 82 Intersect North Boundary 44 links West of the Post
 from which a
 W. Ash 9 in. diam. bears N. 81° E. 106 lks. dist. &
 a Birch 12 " " " N. 72° W. 71 " "
 Land same as that between Sec. 7 & 8.
 August 8th 1834.

Meanders of a Lake in Sec 36
 Beginning at a Post on Town line East side
 of Lake. Thence in Sec. 36

Courses	Distances	Remarks
N 54° W	15.00	
S. 65° W	7.50	
N 44° W	4.00	
S. 30° W	4.50	At 1.50 An Outlet 100 links wide. N. W.
S. 12° E	1.00	
S. 50° E	5.00	To Post on line on West side of Lake.

T 33. N. R. 7. E. 2nd Mer. Indiana.

Meanders of a Lake in Sec. 11. 112

Beginning at a Post on the line on the South side of Lake. Thence.

N 56 W 10.00 in Sec 11. At 7.23 An Outlet 20 links S.
N 6 W 15.50

N 63 1/4 E 5.82 To Reserve line. Thence beginning on Reserve line. East side of Lake. Thence in Sec 11.

S 50 E 1.56 To Post on line between Sec. 11. 112 on the North side of Lake. Thence

N 88 1/2 E 2.00 in Sec 12.

S 43 1/2 E 7.00 At 2.10 an Inlet 5 links wide.

S 9 E 7.50

N 54 E 6.50

S 39 3/4 E 20.50

S 55 W 10.00 At 3.37 An Inlet 1/2 link wide

N 53 1/2 W 5.50

N 31 W 7.24 in Sec 12

S 80 W 6.50

N 48 1/2 W 3.28 To place of beginning

Meanders of a Lake in Sec. 10. 11. & 14

Beginning at a Post on line between Sec. 14 & 15

N 20 W 10.50 in Sec 10

N 40 E 5.00 To post on line between Sec. 10 & 11. on the North side of Lake. Thence

N 28 1/2 E 10.00 In Sec. 11

N 43 1/2 W 6.75 At 3.75 An Inlet 10 links wide

N 38 E 14.00

N 30 1/4 E 11.50

S 82 E 12.50

S 57 E 8.50

S 18 E 5.50

S 12 1/2 W 12.50

S 79 1/2 E 5.50

465

T 33. N R 7 E 2nd Mer. Indiana

S 62 E 8.00
 S 88 1/2 E 14.00
 N 77 E 4.50
 S 29 1/2 E 8.00 At 2.50 In Outer-links wide.
 S 14 3/4 W 10.83 At 9.83 Do. 50. "
 S 71 W 6.54 To Post on the line between Secs 11 & 14
 East side of Lake Thence

S 22 1/2 W 3.50 In Sec 14
 S 65 1/2 W 5.50
 S 55 1/4 W 14.50
 S 87 3/4 W 22.80 To Outer-100 links wide. Course E.
 N 42 1/2 W 11.00
 N 68 1/2 W 9.50
 N 46 1/4 W 4.00 To place of Beginning
 August 3^d 1834

Meanders of a Lake in Secs 26, 27, 28 & 34.
 Beginning at a Post on line between Secs 27 & 28
 On South side of Lake. Thence
 In Sec 27
 N 83 1/2 E 5.00
 S 58 E 2.38
 N 89 E 4.00
 N 10 1/4 E 3.00
 N 79 1/2 E 3.50
 S 73 1/2 E 5.31
 S 12 1/2 E 2.50
 S 37 W 4.50
 S 58 1/2 W 3.37
 S 43 W 5.50 In Sec 27
 S 13 1/4 E 4.74
 S 2 1/2 E 1.88 To Post on line between Secs 27 & 34.
 On the West side of Lake. Thence

S 45 W 1.40 In Sec 24.
 S 77 W 9.00

T 33. N. R. 7. E. 2nd Mer. Indiana

S 39 1/4 N 3.88

S 29 E 7.00

S 73 E 9.00

N 35 E 8.25

S 62 1/2 E 4.00

S 18 1/2 E 4.00

N 51 E 1.68 To Outlet 1.00 links wide.

N 88 E 27.05 To post on the East side of Lake on line

N 80 1/4 E 12.51

On Sec 27

N 45 E 3.00

N 42 1/2 E 27.00 To post on line between Sec 26 & 27
South side of Lake. Thence

N 33 E 9.00

On Sec 26

N 15 1/2 W 12.00

N 28 1/2 W 3.52 To Post on line between Sec 26 & 27
North side of Lake. Thence

N 43 W 4.00

On Sec 27.

N 43 W 6.00 At 1.40 An Outlet 6.00

S 68 W 16.00 at 250 inlet 6 links wide

S 38 1/2 W 10.00

S 7 1/2 W 7.00

N 64 W 27.00

N 41 W 10.00

N 63 1/2 W 9.50

S 42 1/2 W 11.00 To Post on line between Sec 27 & 28
North side of Lake. Thence

N 64 1/2 W 7.50

On Sec 28

S 62 1/2 W 8.50

S 41 W 3.42 At 1.34 an Outlet 200 links wide

S 11 1/2 E 5.00

S 40 1/2 E 2.00

S 36 E 13.00

S 14 1/2 E 10.00

467

T³³ N. R⁷ E. 2nd Mer. Indiana.

S 15¹/₄ W. 2.23
 S 82¹/₄ W. 1.73
 S 18³/₄ W. 1.35
 S 26¹/₄ E. 2.35
 S 60 E. 3.00
 S 78¹/₂ E. 3.43. To place of Beginning August 2nd

Meanders of a Lake in Sec. 22 & 27
 Beginning at a Post in line on the West side of Lake

S 47 E. 2.56 Thence in Sec. 27
 S 72¹/₂ E. 15.50
 N 32 E. 7.50 At 4.40 An Outlet 5 links wide. Course S E.
 To Post on line East side of Lake. Thence

N 19 E. 9.00 In Sec. 22.
 N 68 W. 15.00
 N 88¹/₂ W. 17.00
 S 11 E. 12.78
 S 67 E. 5.25 To place of Beginning.

Meanders of a Lake in Sec. 20, 21 & 28
 Beginning at a Post on line. Cor. to Sec. 20, 21.
 28 & 29. Thence in Sec. 21.

East 8.00 To Inlet 200 links wide. S W.
 N 32¹/₂ E. 2.50
 N 19¹/₂ E. 6.76
 N 58¹/₂ E. 2.00
 N 27¹/₂ E. 8.50
 N 85 E. 6.50
 S 77¹/₂ E. 4.50
 S 71 E. 10.50
 S 21 E. 2.50
 S 6 W. 4.00
 S 38¹/₂ E. 5.00
 East 6.00

T. S. A. R. 7 E. 1st Mer. Indiana.

S 45 E 3.50 To post on line between Sec. 21 & 28.
West side of Lake. Thence

S 14 W 0.68 In Sec 28

S 14 E 3.50

S 64 E 8.50

S 79 E 14.50

N 35 E 5.00

N 14 W 4.50

N 44 W 3.43 To post on line East side of Lake. Thence

N 17 W 2.00 In Sec 21

N 81 W 8.00

N 30 W 9.00

N 53 W 21.50

West 8.00

N 3 1/2 W 7.00

N 63 1/2 W 17.50

S 20 W 5.00

S 38 E 15.00

S 13 W 5.00

S 83 W 6.00

N 32 W 6.50

N 28 W 5.50

N 12 W 9.50

N 66 W 9.00

S 34 W 2.65 To post on line between Sec. 20 & 21
On the North side of Lake Thence

N 19 W 3.61 In Sec. 20

S 70 W 2.75 At 25 An Outlet 200 yds wide. N W

S 11 E 6.50

S 5 E 7.00

S 58 E 2.31 To Post on line South side of Lake,

S 9 1/2 E 2.40 In Sec 21

469

T 33 N R 7 E 2nd Mer. Indiana

South 3.00
 S 25 1/2 E 17.50
 S 88 1/4 W 7.88 To post on line between Sec. 20 & 21. Thence

On Sec 20

N 34 W 5.00
 N 58 1/4 W 7.50
 N 22 W 8.00
 N 70 1/4 W 14.50
 S 73 1/2 W 9.50
 S 69 1/2 W 14.15
 S 12 W 14.00
 S 42 1/2 E 5.50
 S 44 1/2 E 10.00 To post on line between Sec. 20 & 29. On the
 West side of Lake. Thence

On Sec 29

S 7 1/2 E 3.50
 S 41 E 3.34
 S 39 1/2 E 1.72
 S 12 W 3.69
 S 39 1/2 E 2.00
 S 82 1/2 E 2.64
 N 26 E 7.00
 N 33 1/2 E 1.34
 N 63 1/2 E 5.00
 S 83 E 7.50
 N 65 1/2 E 7.50
 East 4.70
 N 80 1/2 E 6.50 To place of Beginning

Meanders of a Lake in Sec. 17, 18, 19, & 20
 Beginning at a post on line between Sec. 18 & 19
 On West side of Lake Thence

On Sec 18

N 42 1/4 W 8.50
 N 37 1/2 E 12.00
 S 69 1/4 E 10.00
 S 39 1/2 E 7.00

T. 33. N. R. 7 E Ind. Mer. Indiana

S 30° E 2.31 To post on line between Sec. 17 & 18
North side of Lake. Thence

S 69° E 12.55 On Sec 17 To post on line between
Sec. 17 & 20. Thence

S 50 1/4° E 11.50 On Sec 20

S 31 1/2° E 12.50

S 42° W 9.00

N 44 1/2° W 23.00

S 83° W 4.96 To post on line between Sec. 19 & 20
South side of Lake. Thence

N 77° W 9.00 On Sec 19

N 50° W 10.24 To place of Beginning.

Meanders of Tippecanoe Lake.
Beginning at post on Range line.
South side of Lake. Thence

S 31 1/2° E 2.35 On Sec 7.

S 41° E 2.00

S 53 3/4° E 16.00

S 07° E 16.50

S 61° E 20.00

S 7° E 5.72 To post on line between Sec. 7 & 18
West side of Lake. Thence

S 01 1/4° E 22.50 On Sec 18

N 76° E 12.00

S 25° E 15.00

N 60° E 20.50

N 7 1/4° E 4.82 To Post on line between Sec. 17 & 18
E. side of Lake. Thence

East 4.00 On Sec 17

S 67° E 10.50 To end of 100 links wide.

N 74 1/2° E 8.80

T. 33. N. R. 7. E. 9th Mer. Indiana. ⁴⁷¹

N 51 1/4 E 6.50
 N 40 E 10.00
 N 24 E 4.50
 N 47 E 5.25
 S 61 1/2 E 1.50
 S 56 E 9.50
 N 89 1/2 E 12.50
 N 59 E 9.00
 S 43 E 6.32
 S 23 1/2 E 3.88
 S 12 1/2 W 0.79
 S 7 1/2 E 3.50
 S 20 W 0.50
 S 8 3/4 E 4.00
 S 32 E 1.79
 S 29 1/2 E 7.50
 S 23 W 7.50
 S 33 W 12.00
 S 48 1/2 E 13.00

To post on line between Sec. 16 & 17
South side of Lake Thence

S 67 1/2 E 7.27
 N 81 E 14.00
 N 45 E 11.50
 N 73 E 8.50
 N 9 E 6.00
 N 11 E 5.42
 N 48 1/2 W 5.00
 N 58 3/4 W 5.50
 N 24 W 4.50
 N 8 E 18.00
 N 32 W 10.00

In Sec 16
 At 1.50 An. Corner 75 links wide.

To post on line between Sec. 9 & 16
East side of Lake Thence

N 37 W 8.00
 N 82 1/2 W 8.50

In Sec 9

T 33 N R 7 E 2nd Mer. Indiana.

S 86 W 3.00 In Sec 9

S 66 W 2.00

S 85 1/2 W 3.00

S 27 1/2 W 2.50

S 50 1/2 W 2.33 To post on line between Sec. 8 & 9 North
side of Lake. Thence

S 33 W 1.35 In Sec 8

S 57 1/2 W 7.00

S 31 W 5.00

S 83 W 6.07

S 63 W 11.80

S 27 W 6.71

S 11 1/4 E 6.00

S 47 E 3.00

N 20 E 6.50

S 62 W 8.50

S 44 W 6.74 At 587 An Angle 15 links wide.

S 73 W 2.50

S 77 1/2 W 4.50

S 68 1/2 W 3.42

S 68 W 2.36

S 67 W 2.50

S 76 1/2 W 5.50

S 80 1/4 W 6.50

S 23 1/2 W 3.00

S 64 W 5.00

S 64 1/4 W 3.67 To post on line between Sec. 7 & 8
North side of Lake. Thence

S 87 1/2 W 3.00 In Sec 7

S 63 1/2 W 6.50

S 16 W 14.00

S 77 W 7.00

S 70 W 13.00

S 22 W 8.00

T³³ N⁷ E. 2nd Mer. Indiana. 473

N 51 1/2 W 9.00

N 82 W 3.00

N 10 W 5.00

N 19 1/2 W 10.50

N 11 1/2 W 7.00

N 30 3/4 W 13.50

N 51 1/2 W 4.50 To Spring of fresh water.

N 41 1/2 W 5.40 To spot on the line between Sec. 6 & 7.

N 52 1/4 W 3.23

In Sec 6

N 34 W 6.50

N 57 W 4.00 At 210 Spring Run flows in 3. miles.

To tree corner West Boundary.

North side of Lake. August 9th 1834

I hereby Certify that the foregoing are the copies
of the Original Field Notes for Township N³³ North
of Range N⁷ East of the 2nd Mer. in the State
of Indiana.

R. J. Dawson
Dep^y Surveyor.

T 33 N. R. 7 E. 2nd Mer. Indiana

Subdivision of Tract Township 33 N. of R. 7 E.
 Commenced subdividing the same on the 14th
 day of Jan^y 1839 completed the same on the
 15th day of Jan^y 1839
 A. S. P. Vance

North From the South Boundary of Reserve between
 Secs. 11 & 12

4. 14 To the North Margin of Lake. Set a Post from which
 a W. Oak 24 in. diam. bears N 48 E 51 links dist^y 8
 a Do 24 " " " N 49 W 38 " "

11. 50 Leave the Prairie

19. 00 Enter " " East

24. 84 Set a Post cor. to Secs. 1, 2, 11 & 12 from which
 a Black Oak 12 in. diam. bears N 1 W. 18 links dist^y 8
 a White Oak 30 " " " N 20 E 1. 18 " "
 Rolling 3rd rate Barrens & wet Prairie
 Timber. Oak. &c. Hard grass in Prairie.

East On Random between Secs. 1 & 12

6. 00 pass Road. S. E.

9. 00 Over Creek 10 links wide. Course South.

11. 50 Leave Prairie

27. 50 Indian Trace N E

66. 20 Indian " North

88. 00 Enter Swamp. S E.

80. 27 Intersect at Post.

Land &c same as last mile.

West Corrected between Secs. 1 & 13

1. 36 An Aspin 7 in. diam.

23. 82 A Red Oak 30 " "

40. 13 1/2 Set a g. the post at aver. dist^y from which
 a Black Oak 26 in. diam. bears N 14 E 60 links dist^y 8
 a Swp. Oak 22 " " " S. 1. N. 44 " "

40 95 A W. Oak 40 in. diam.

80 27 To the Corner.

Comp.

475

T 33. N. R. 7 E 2nd Mer. Indiana.

North Between Sec. 1 & 2

5. 57 Road S E

41. 00 Hit a gr. Elm post from which
a Hickory 18 in. diam. bears S 58 E 11 links dist 8
a W. Oak 23 " " " S 87 N 36 " "

43. 90 A Do 16 " "

48. 25 Pop Road. N E

54. 94 A W. Oak 20 in. diam.

69. 00 Enter Prairie N E.

70. 13 Intersect North Boundary 2. 13 links West of Post.
from which

a Red Oak 20 in. diam. bears S 11 N 96 links dist 8
a W. Oak 12 " " " S 57 E 70 " "
Land the same as last mile.

North From South Boundary of Reserve between Sec.
10 & 11

1. 28 S. G. Ash 20 in. diam.

26. 57 Hit a Post Cor. to Sec. 2. 3. 10 & 11 from which
a Poplar 24 in. diam. bears S 33 N 11 links dist 8
a Do 20 " " " S 72 E 34 " "

Rolling 2nd rate Sand. Timber. Oak. Ash. Elm.
Poplar. &c. Undergr. Spice. Sassafras. &c.

East On Random between Sec. 2 & 11.

47. 25 An Indian Trace North

68. 75 Pop Road N W

71. 50 Enter Prairie

75. 00 Land same

77. 50 Pop Spring Run 2 links wide. Course S E.

80. 10 Intersect N & S. line 200 North of Post.

Land the same as last mile.

West Connected between Sec. 2 & 11

8. 78 An R. Oak 20 in. diam.

27. 74 A Hickory 18 " "

T 33 N. R 7 E Gra Mer. Indiana.

40. 05 Set a g. Sec. post at aver. dists from which
 a Sapfras 9 in. diam. bears N 29 E 40 links dist &
 a Blk Oak 28 " " " S 30 W 16 " "
 40. 95 A Swamp Ash 12 in. diam.
 64. 43 A W. Oak. 22 " "
 80. 10 To Sec. Corner

West Random between Sec. 3 & 10
 34. 00 Pass Road S.E.
 45. 00 Enter Prairie
 57. 29 Intersect West Boundary of Reservation.
 No Witness trees could be found
 Land gently rolling & 2nd rate. Timber. Oak.
 Ash. Elm. Poplar. &c. Undergrowth Spice Greenbriers
 Grapes &c.

East Corrected between Sec. 3 & 10.
 A W. Elm 14 in. diam. bears N 50 E 152 links dist.
 10. 55 A W. Oak 26 " "
 11. 29 Set a g. Sec. post from which
 a W. Oak 26 in. diam. bears N 74 links dist
 a Do 20 " " " N 24 E 36 " "
 11. 95 A Hickory 8 " "
 57. 29 To Sec. Corner. Jan. 14th 1839

North Between Sec. 2 & 3
 10. 50 A Poplar 24 in. diam.
 40. 00 Set a g. Sec. post from which
 a Hickory 12 in. diam. bears S 59 E 75 links dist &
 a Do 18 " " " East 66 " "
 45. 00 Pass Road. N.W.
 60. 00 Enter Swamp. N.E.
 65. 00 Leave Do
 67. 55 A Red Oak 20 in. diam.
 67. 73 Intersect North Boundary 298 rods of the post
 from which a

T 33. N. R. 7. E. 2nd Mer. Indiana.

477

N. Oak 24 ins diam. bears S. 35 E. 78 links dist. & a
 Q. 30 " " " S. 54 W. 90 " "
 Land Broken 3rd rate. Timber. Oak. Ash. Hickory.
 &c. Undergth. Sassafras. Green briars & Grape vines
 Jan^y 15th 1839.

The largest portion of the land in this fraction
 is 2nd rate & principally Oak Barrens. The Timber
 chiefly Oak. but scattering. it is large and tale for
 Barrens

The soil is thin, from 2 to 4 ins deep. and
 sandy. The Prairies are rich but wet.

Meanders of part of a Lake on the South Bound.
 of Reservation in Sec 11.

Beginning at a Post on the South Boundary
 of the Reservation on the West side of Lake.

Courses.	Distances	Remarks.
N 50 1/2 W	4.18	
S 83 W	3.70	
S 12 1/2 W	1.50	
N 50 3/4 W	3.11	At .50 over Run 4 links wide. Course N.
N 73 1/2 E	8.91	" .20 " " 2 " " " E.
S 52 E	2.95	
N 80 1/2 E	4.55	
S 89 1/2 E	9.16	
S 75 1/2 E	7.10	At 04 to post between Sec ^s 11 & 12 in Sec 12.

S 49 1/2 E 3.14 To East side of Lake in line of Reservation
 Jan^y 15th 1839.

T 33. No R 7 E 2nd Mer. Indian

I hereby certify that in pursuance of a Contract, with Robert T. Lytle, Surveyor General of the United States for the States of Ohio Indiana and Michigan, bearing date the 10th day of May 1838 and in strict conformity with the laws of the United States & the instructions of said Surveyor General, I have surveyed & subdivided into Sec. 33 & fractions. Fractional Section No 33. North of Range No 7 East of the 2nd Mer. in the State of Indiana. And I do further certify that the True and Original Field Notes of the said survey and subdivisions executed as aforesaid. Certified this 19th day of January 1839.

A. G. Vance.

Dep^y Surveyor.

David Frazier

John F. Sims Chainmen.

John P. Johnson Marker.

I certify that the foregoing transcript of the field Notes of Trac. Township No 33. North of Range No 7 East of the 2nd Mer in the State of Indiana has been compared with the original notes in this Office, and found to be correct.

Surveyor General's Office

Cincinnati Sep 26. 1844

Comp^d

William Johnston
Sur. Genl.